

PM6912WLDX

Built-in: Traditional
Dimensions: 90 cm
Power supply: Mixed
Type: Mixed
EAN code: 8017709230500
Colour: Black
Finishing: Glass
Aesthetics: Dolce Stil Novo
Serie: --NA--
Material: Glass
Glass Type: Ceramic
Glass edge: Straight edge
Glass on Steel
Pan stands: Cast iron
Burners: Smeg Contemporary
Burners Material: Alluminium
Burner Coating: Black Ceram
Type of control setting: Control knobs
Slider
Control knobs position: Front
No. of controls: 1
Controls colour: Black
Components finishing: Stainless Steel
Serigraphy colour: Grey
Alternative colours available: Copper



Programs / Functions

Total no. of cook zones: 5	Main on/off switch
No. of gas cook zones: 1	Power levels: 9
No. of induction cook zones: 4	
No. of cooking zones with Booster: 4	
No. of Flexible zones: 2	

Options

Flexible Zone Type: MultiZone	End of cooking acoustic alarm
Multizone Option	Residual time indicator
Simmering Function	Show Room Demo Option
Keep warm automatic function	Control Lock / Child Safety
Melting/Low temperature cooking function	Rapid level selection
Pause option	
End cooking timer: 4	
Minute minder: 1	

Technical Features

Centre left - Gas - UR - 6.00kW
 Rear centre - Induction - multizone - 2.10kW - Booster 3.60kW - 18.0x23.0 cm
 Front centre - Induction - Multizone - 2.10kW - Booster 3.60kW - 18.0x23.0 cm



Rear right - Induction - multizone - 2.10kW - Booster 3.60kW - 18.0x23.0 cm

Front right - Induction - Multizone - 2.10kW - Booster 3.60kW - 18.0x23.0 cm

Multizone center - Booster 3.60 W - 385x230 cm

Multizone right - Booster 3.60 W - 385x230 cm

Automatic setting according to pan dimension

Automatic switch off when overflow

Automatic pan detection: Yes, min 9 cm

Residual heat indicator

Permanent Automatic Pot Detection with indication of the relative control

Protection against accidental start up

Gas safety valves

Automatic Ignition

Automatic switch off when overheat

Accessories Included

Cast iron wok support: 1

Electrical Connection

Electrical connection rating (W): 7400 W

Current: 33 A

Voltage (V): 220-240 V

Voltage 2 (V): 380-415 V

Type of electric cable: Single phase

Frequency (Hz): 50/60 Hz

Power supply cable length: 120 cm

Gas Connection

Gas Type: G20 Natural gas

Gas connection rating (W): 6000 W

Gas connection: Cilindrical

Other gas nozzles included:

G30 GPL Liquid gas

Other gas connections provided: Conical

Accessories not included



GRW

Wok support



LGCN

Connecting Strip Built-in hobs, stainless steel, 475/495 mm



TPK

Stainless steel grill plate to cook Teppanyaki dishes



WOKGHU

Cast-Iron WOK Support



