



SF6390XPZE

Product Family: Oven

Category: 60cm

Heat source: Electric

Power supply: Electric

Cooking method: Thermo-ventilated

Cleaning system: Vapor Clean

Oven control: Electronic

Pizza Oven

EAN code: 8017709222185



Aesthetics

Serie: --NA--

Aesthetics: Classic

Finishing: Fingerproof

Colour: Stainless steel

Decoration / Special colour: --NA--

Collaborations: --NA--

Design: Flat

Material: Stainless steel

Type of steel: Brushed

Glass Type: Eclipse

Serigraphy colour: Black

Serigraphy type: Symbols

Door: With 2 horizontal strips

Handle: Classic

Handle Colour: Stainless steel

Logo: Embossed

Programs / Functions

No. of cooking functions: 10

Automatic programmes: 20

Traditional cooking functions

Other functions

Cleaning functions

Controls

Display technology: LCD

Display generation: 1st

Control setting: Control knobs

No. of controls: 2

Control knobs: Classic

Controls colour: Steel effect

Options

Timer: Electronic
 Time-setting options: Delay start and automatic end cooking
 Minute minder
 End of cooking acoustic alarm
 Limited Power Consumption Mode
 Controls Lock / Child Safety

Showroom demo option
 Rapid pre-heating

Technical Features

Temperature control: Electronic
 Minimum Temperature: 30 °C
 Maximum temperature: 280 °C
 Cavity material: Ever clean Enamel
 No. of shelves: 5
 Shelves type: Metal racks
 Tilting grill
 No. of lights: 2
 Light type: Halogen
 Light Power: 40 W
 Light when door is opened
 Lower heating element power: 1100 W
 Upper heating element - Power: 1000 W
 Grill element - power: 1700 W
 Circular heating element - Power: 2000 W
 Door: Cool

Removable door
 Full glass inner door
 Removable inner door
 Total no. of door glasses: 3
 No. of thermoreflecting door glasses: 2
 Soft Close hinges
 Safety Thermostat
 Heating suspended when door is opened
 Cooling system: Tangential
 Cooling duct: Double
 Speed Reduction Cooling System
 Usable cavity space dimensions (HxWxD): 331x460x412 mm

Performance / Energy Label

Energy efficiency class: A+
 Energy efficiency class (2002/40/CE): A
 Net volume of the cavity: 65 litres
 Energy consumption per cycle in conventional mode: 1.05 KWh
 Energy consumption per cycle in fan-forced convection: 0.66 KWh

No. of cavities: 1
 Energy efficiency index: 80.5 %
 Gross volume: 79 litres

Accessories Included

Grid with back and side stop: 1
 Insert grid: 1
 Enamelled deep tray (40mm): 1
 Telescopic Guide rails, partial Extraction : 1
 Pizza Accessories: Refractory stone (round without handles) +

cover + shovel

Electrical Connection


Voltage: 220-240 V
 Electrical connection rating (W): 3000 W
 Current: 13 A
 Frequency (Hz): 50/60 Hz

Power supply cable length: 115 cm

Accessories not included



BN620-1
 Enamelled tray, 20mm deep

**BN640**

Enamelled tray, 40mm deep

**BNP608T**

Teflon-coated tray, 8mm depth, to be placed on the grid

**BVG**

Glass tray and stainless steel grid, 40mm deep

**GT1P-2**

Partially extractable telescopic guides (1 level) for ovens with metal frames. Length: 355.5 mm, extraction: 285 mm. Material: Stainless steel AISI 430 polished.

**GT1T-2**

Totally extractable telescopic guides (1 level) for ovens with metal frames. Length: 355.5 mm, extraction: 418.5 mm. Material: Stainless steel AISI 430 polished.

**PC68-1**

Set of catalytic panels , 5 levels, 2 lamps

**PR3845X**


Antifingerprint stainless steel. Cover for furniture in column installation of more ovens

**PRTX**

Refractory pizza stone with handles. D=35cm Not suitable for microwave ovens. Suitable for gas ovens, to be put on the griddle.

**SFLK1**

Child lock

**SMOLD**

Set of 7 silicone moulds for ice creams, ice lollies, pralines, ice cubes or to portion food. Usable from -60°C to +230°C

