



## SFA562X2

**Product Family:** Oven

**Category:** 60cm

**Heat source:** Electric

**Power supply:** Electric

**Cooking method:** Thermo-ventilated

**Cleaning system:** Vapor Clean

**Oven control:** Electro-mechanical

**EAN code:** 8017709250607



### Aesthetics

---

Aesthetics: Classic

Serie: --NA--

Decoration / Special colour: --NA--

Finishing: Fingerproof

Colour: Stainless steel

Collaborations: --NA--

Design: Flat

Material: Stainless steel

Type of steel: Brushed

Glass Type: Eclipse

Serigraphy colour: Black

Serigraphy type: Symbols and wordings

Door: With 1 horizontal strip

Handle: Classic

Handle Colour: Stainless steel

Logo: Embossed

### Programs / Functions

---

No. of cooking functions: 8

Traditional cooking functions

Other functions

Cleaning functions

### Controls

---

Control setting: Control knobs

No. of controls: 3

Control knobs: Classic

Controls colour: Steel effect

## Options

Timer: Electro-mechanical  
Time-setting options: Automatic end cooking  
Minute minder  
Timer: 1  
End of cooking acoustic alarm

Tones: Standard

## Technical Features

Temperature control: Electro-mechanical  
Minimum Temperature: 50 °C  
Maximum temperature: 250 °C  
Cavity material: Ever clean Enamel  
No. of shelves: 5  
Shelves type: Metal racks  
Tilting grill  
No. of lights: 1  
Light type: Halogen  
User-replaceable light  
Light Power: 40 W  
Light when door is opened  
Lower heating element power: 1200 W  
Upper heating element - Power: 1000 W  
Grill element - power: 1700 W  
Large grill - Power: 2700 W  
Circular heating element - Power: 2000 W

Door opening type: Standard opening  
Door: Temperate door  
Removable door  
Full glass inner door  
Removable inner door  
Total no. of door glasses: 3  
No. of thermoreflecting door glasses: 2  
Safety Thermostat  
Heating suspended when door is opened  
Cooling system: Tangential  
Cooling duct: Single  
Speed Reduction Cooling System  
Usable cavity space dimensions (HxWxD): 360x460x425 mm

## Performance / Energy Label

No. of cavities: 1  
Gross volume: 79 litres

## Accessories Included

Grid with back and side stop: 2  
Insert grid: 1  
Enamelled tray (20mm): 1  
Enamelled deep tray (40mm): 1

## Electrical Connection


Plug: (I) Australia  
Voltage: 220-240 V  
Electrical connection rating (W): 3000 W  
Current: 13 A  
Frequency (Hz): 50/60 Hz

Power supply cable length: 115 cm

## Accessories not included



**BN620-1**  
Enamelled tray, 20mm deep



**BN640**  
Enamelled tray, 40mm deep

**BNP608T**

Teflon-coated tray, 8mm depth, to be placed on the grid

**GT1P-2**

Partially extractable telescopic guides (1 level) for ovens with metal frames. Length: 355.5 mm, extraction: 285 mm. Material: Stainless steel AISI 430 polished.

**GT1T-2**

Totally extractable telescopic guides (1 level) for ovens with metal frames. Length: 355.5 mm, extraction: 418.5 mm. Material: Stainless steel AISI 430 polished.

**PALPZ**

Pizza shovel with fold away handle width: 315mm length : 325mm

**PC681-1**

Set of catalytic panels, 5 levels, 1 lamp

**PPR2**

Refractory pizza stone without handles. Squared shaped stone: L42 x H1,8 x D37,5 cm. Suitable also for gas ovens, to be put on the griddle.

**PR3845X**


Antifingerprint stainless steel. Cover for furniture in column installation of more ovens

**PRTX**

Refractory pizza stone with handles. D=35cm Not suitable for microwave ovens. Suitable for gas ovens, to be put on the griddle.

**SFLK1**

Child lock

**SMOLD**

Set of 7 silicone moulds for ice creams, ice lollies, pralines, ice cubes or to portion food. Usable from -60°C to +230°C

