

SI3842B

Built-in: Ultra-low profile

Dimensions: 80 cm

Power supply: Electric

Type: Induction

EAN code: 8017709161439

Colour: Black

Finishing: Glass

Aesthetics: Universale

Serie: --NA--

Material: Glass

Glass Type: Ceramic

Glass edge: Angled edge

Type of control setting: Touch control

Control knobs position: Front

Serigraphy colour: Grey



Programs / Functions

Total no. of cook zones: 4

Power levels: 9

No. of induction cook zones: 4

No. of cooking zones with Booster: 4

Main on/off switch

Options

Flexible Zone Type: Bridge

Control Lock / Child Safety

End cooking timer: 4

Bridge option

Minute minder: 1

End of cooking acoustic alarm

Residual time indicator

Technical Features

Front left - Induction - giant - 2.60kW - Booster 3.70kW - Ø 28.0 cm

Rear left - Induction - single - 1.40kW - Booster 2.20kW - Ø 14.5 cm

Rear right - Induction - single - 1.80kW - Booster 3.00kW - Ø 18.0 cm

Front right - Induction - single - 1.80kW - Booster 3.00kW - Ø 18.0 cm

Automatic setting according to pan dimension

Protection against accidental start up

Automatic pan detection

Minimum pan diameter indication

Automatic switch off when overheat

Automatic switch off when overflow

Residual heat indicator

Electrical Connection

Electrical connection rating (W): 7400 W

Frequency (Hz): 50/60 Hz

Current: 33 A

Power supply cable length: 150 cm

Voltage (V): 220-240 V

Terminal Box: 6 poles

Voltage 2 (V): 380-415 V

Type of electric cable: Single and Double phase

Accessories not included



SCRP

Induction and ceramic hobs and teppanyaki scraper



TPK

Stainless steel grill plate to cook Teppanyaki dishes



