

SI5641B

Built-in: Ultra-low profile
Dimensions: 60 cm
Power supply: Electric
Type: Induction
EAN code: 8017709199975
Colour: Black
Finishing: Glass
Aesthetics: Universale
Serie: --NA--
Material: Glass
Glass Type: Ceramic
Glass edge: Angled edge
Type of control setting: Touch control
Control knobs position: Front
Serigraphy colour: Grey



Programs / Functions

Total no. of cook zones: 4	Power levels: 9
No. of induction cook zones: 4	
No. of cooking zones with Booster: 2	
Main on/off switch	

Options

End cooking timer: 4	Rapid level selection
Minute minder: 1	
End of cooking acoustic alarm	
Residual time indicator	
Control Lock / Child Safety	

Technical Features

Front left - Induction - single - 1.85kW - Booster 2.10kW - Ø 21.0 cm	
Rear left - Induction - single - 1.40kW - Ø 18.0 cm	
Rear right - Induction - single - 1.85kW - Booster 2.10kW - Ø 21.0 cm	
Front right - Induction - single - 1.40kW - Ø 18.0 cm	
Automatic setting according to pan dimension	Protection against accidental start up
Automatic pan detection	
Minimum pan diameter indication	
Automatic switch off when overheat	
Residual heat indicator	

Electrical Connection

Electrical connection rating (W): 7200 W	Power supply cable length: 120 cm
Current: 32 A	
Voltage (V): 220-240 V	
Voltage 2 (V): 380-415 V	
Type of electric cable: Single and Double phase	
Frequency (Hz): 50/60 Hz	

Accessories not included



SCRP

Induction and ceramic hobs and teppanyaki scraper



TPK

Stainless steel grill plate to cook Teppanyaki dishes



