

TR4110IBL

Cooker size: 110x60 cm

N. of cavities with energy label: 2

Heat source first cavity: Electric

Hob type: Induction

Type of main oven: Thermo-ventilated

Type of second oven: Fan assisted

Cleaning system main oven: Vapor Clean

EAN code: 8017709195052

Energy efficiency class first cavity: A

Energy efficiency class, second cavity: A



Programs / Functions

No. of cooking functions: 6

Traditional cooking functions

Cleaning functions

Programs / Functions Auxiliary Oven

Cleaning functions cavity 2

Other functions cavity 2

Aesthetics

Colour: Black

Decoration / Special colour: --NA--

Aesthetics: Victoria

Serie: --NA--

Collaborations: --NA--

Design: Victoria

Door: With frame

Upstand

Hob colour: Stainless steel

Command panel finish: Enamelled metal

Control knobs: Smeg Victoria

Controls colour: Stainless steel

Display: electronic 5 buttons

Colour of buttons: Black

No. of controls: 10

Serigraphy colour: Silver

Handle: Smeg Victoria

Handle Colour: Brushed stainless steel

Glass type: Black

Plinth: Anthracite

Storage compartment: Drawer

Logo: assembled 50's

Logo position: Upstand

Alternative colours available: Stainless steel, Cream

Hob technical features

Total no. of cook zones: 5

Front left - Induction - single - 1.30kW - Booster 1.40kW - Ø 17.5 cm



Rear left - Induction - single - 2.30kW - Booster 3.00kW - Ø 21.5 cm

Central - Induction - single - 2.30kW - Booster 3.00kW - Ø 26.5 cm

Rear right - Induction - single - 2.30kW - Booster 3.00kW - Ø 21.5 cm

Front right - Induction - single - 1.30kW - Booster 1.40kW - Ø 17.5 cm

Main Oven Technical Features

No. of lights: 1

Fan number: 1

Net volume 1st cavity: 61 litres

Gross volume, 1st cavity: 70 litres

Cavity material: Ever Clean enamel

No. of shelves: 4

Type of shelves: Metal racks

Light type: Halogen

Light Power: 40 W

Cooking time setting: Start and Stop

Door opening: Side opening

Side opening door

Removable door

Full glass inner door

Removable inner door

Total no. of door glasses: 3

No. of thermo-reflective door glasses: 1

Safety Thermostat

Cooling system: Tangential

Usable cavity space dimensions (HxWxD): 316x444x425 mm

Temperature control: Electro-mechanical

Lower heating element power: 1200 W

Upper heating element - Power: 1000 W

Grill element: 1700 W

Large grill - Power: 2700 W

Circular heating element - Power: 2700 W

Grill type: Electric

Options Main Oven

Timer

End of cooking acoustic alarm

Minimum Temperature: 50 °C

Maximum temperature: 260 °C

Second Oven Technical Features

Net volume, 2nd cavity: 61 litres

Gross volume, 2nd cavity: 70 litres

Cavity material: Ever Clean enamel

No. of shelves: 4

Type of shelves: Metal racks

No. of lights: 1

Light type: Halogen

Light Power: 40 W

Door opening: Side opening

Side opening door

Removable door

Full glass inner door

Removable inner door

No. total door glasses: 3

No. thermo-reflective door glasses: 1

Safety Thermostat

Cooling system: Tangential

Usable cavity space dimensions (HxWxD): 316x444x425 mm

Temperature control: Electro-mechanical

Lower heating element - power: 1200 W

Upper heating element - Power: 1000 W

Grill element - power: 1700 W

Large grill - Power: 2700 W

Grill type: Electric

Tilting grill

Options Auxiliary Oven

Minimum Temperature: 50 °C

Maximum temperature: 260 °C

Third Oven Technical Features

Net volume, 3rd cavity: 36 litres

Gross volume, 3rd cavity: 41 litres

Cavity material: Ever Clean enamel

No. of shelves: 2

Type of shelves: Metal racks

No. of lights: 1

Light type: Incandescent

Light Power: 25 W

Door opening: Flap down

Removable door

Full glass inner door

Removable inner door

No. total door glasses: 3

No. of thermo-reflective door glasses: 1

Safety Thermostat

Cooling system: Tangential

Usable cavity space dimensions (HxWxD): 169x440x443 mm

Temperature control: Electro-mechanical

Large grill - Power: 2700 W

Grill type: Electric

Tilting grill

Options Third Oven

Minimum Temperature: 50 °C

Maximum temperature: 260 °C

Accessories included for Main Oven & Hob

TOP Oven grid with back stop: 2

Grill mesh: 1

40mm deep tray: 1

Telescopic Guide rails, partial Extraction : 1

Accessories included for Secondary Oven

Oven grid with back and side stop: 2
 Grill mesh: 1
 40mm deep tray: 1
 Telescopic Guide rails, partial Extraction : 1

Accessories included for Third Oven

Oven grid with back and side stop: 1
 40mm deep tray: 1

Electrical Connection

Electrical connection rating: 19500 W
 Current: 53 mm
 Voltage: 220-240 V
 Voltage 2 (V): 380-415 V
 Frequency: 50/60 Hz
 Power supply cable length: 150 cm
 Terminal block: 5 poles

