



SF6101VS

Product Family: Oven

Category: 60cm

Heat source: Electric

Power supply: Electric

Cooking method: Fan assisted

Cleaning system: Vapor Clean

Oven control: Electronic

EAN code: 8017709252502



Aesthetics

Serie: --NA--

Aesthetics: Linea

Colour: Silver

Decoration / Special colour: --NA--

Collaborations: --NA--

Design: Flat

Material: Glass

Glass Type: Stopsol

Serigraphy colour: White

Serigraphy type: Symbols

Door: Full glass

Handle: Linea

Handle Colour: Chromed

Logo: Silk screen

Programs / Functions

No. of cooking functions: 7

Traditional cooking functions

Other functions

Cleaning functions

Controls

Display technology: LCD

Display generation: 1st

Control setting: Control knobs

No. of controls: 2

Control knobs: Linea

Options

Timer: Electronic
Time-setting options: Delay start and automatic end cooking
Minute minder
Timer: 1
End of cooking acoustic alarm
Limited Power Consumption Mode
Controls Lock / Child Safety

Showroom demo option
Tones: Standard
Rapid pre-heating

Technical Features

Temperature control: Electronic
Minimum Temperature: 30 °C
Maximum temperature: 280 °C
Cavity material: Ever clean Enamel
No. of shelves: 5
Shelves type: Metal racks
No. of lights: 1
Light type: Halogen
User-replaceable light
Light Power: 40 W
Lower heating element power: 1200 W
Grill element - power: 1800 W
Door opening type: Standard opening

Door: Temperate door
Removable door
Full glass inner door
Removable inner door
Total no. of door glasses: 3
No. of thermoreflecting door glasses: 1
Safety Thermostat
Cooling system: Tangential
Cooling duct: Single
Usable cavity space dimensions (HxWxD): 360x460x425 mm

Performance / Energy Label

Energy efficiency class: A
Energy efficiency class (2002/40/CE): A
Net volume of the cavity: 70 litres
Energy consumption per cycle in conventional mode: 1.13 KWh
Energy consumption per cycle in fan-forced convection: 0.8 KWh

No. of cavities: 1
Energy efficiency index: 95.2 %
Gross volume: 79 litres

Accessories Included

Grid with back stop: 1
Insert grid: 1
Enamelled deep tray (40mm): 1

Electrical Connection


Voltage: 220-240 V
Electrical connection rating (W): 3000 W
Current: 13 A
Frequency (Hz): 50/60 Hz

Power supply cable length: 115 cm

Accessories not included



BN620-1
Enamelled tray, 20mm deep



BN640
Enamelled tray, 40mm deep



BNP608T

Teflon-coated tray, 8mm depth, to be placed on the grid



BVG

Glass tray and stainless steel grid, 40mm deep



GT1P-2

Partially extractable telescopic guides (1 level) for ovens with metal frames. Length: 355.5 mm, extraction: 285 mm. Material: Stainless steel AISI 430 polished.



GT1T-2

Totally extractable telescopic guides (1 level) for ovens with metal frames. Length: 355.5 mm, extraction: 418.5 mm. Material: Stainless steel AISI 430 polished.



PALPZ

Pizza shovel with fold away handle width: 315mm length : 325mm



PC681-1

Set of catalytic panels, 5 levels, 1 lamp



PPR2

Refractory pizza stone without handles. Squared shaped stone: L42 x H1,8 x D37,5 cm. Suitable also for gas ovens, to be put on the griddle.



PR3845X

Antifingerprint stainless steel. Cover for furniture in column installation of more ovens




PRTX

Refractory pizza stone with handles. D=35cm Not suitable for microwave ovens. Suitable for gas ovens, to be put on the griddle.



SFLK1

Child lock



SMOLD

Set of 7 silicone moulds for ice creams, ice lollies, pralines, ice cubes or to portion food. Usable from -60°C to +230°C

